

L Number	Hits	Search Text	DB	Time stamp
1	22	((card near4 interfac\$5) same ((distinguish\$4 or identif\$6) with (card with type)) same (code or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 17:34
2	7	((card near4 interfac\$5) same ((distinguish\$4 or identif\$6) with (card with type)) same (code or instruction)) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 17:35
3	3	((card near4 interfac\$5) same ((distinguish\$4 or identif\$6) with (card with type)) same (code or instruction)) and @ad<19980311 and port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:15
4	3	((card near4 interfac\$5) same ((distinguish\$4 or identif\$6) with (card with type)) same (code or instruction)) and @ad<19980311 and speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:27
5	0	((card near4 interfac\$5) same ((distinguish\$4 or identif\$6) with (nrss or "7816")) same (code or instruction)) and @ad<19980311 and speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:35
6	4	((card with interfac\$5) same ((distinguish\$4 or identif\$6) same (nrss or "7816")) same (code or instruction)) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:36
7	0	((distinguish\$4 or identif\$6) same (nrss and "7816")) same (code or instruction)) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:38
8	0	((distinguish\$4 or identif\$6 or detect\$5) same (nrss and "7816")) same (code or instruction)) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:37
9	0	((distinguish\$4 or identif\$6 or detect\$5 or determin\$6) same (nrss and "7816")) same (code or instruction)) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:37
10	0	((card with interfac\$4) same (nrss and "7816")) same (code or instruction)) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:38
11	0	((distinguish\$4 or identif\$6) same (nrss and "7816")) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:38
12	0	((distinguish\$4 or identif\$6) same (nrss and "7816")) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:38
13	7	((card with interfac\$4) same (nrss and "7816")) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 15:33

14	0	((card with interfac\$4) same (nrss same "7816")) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:41
15	0	(interfac\$5 same nrss same "7816" same (smart or memory) same card) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:41
16	0	(interfac\$5 same nrss same "7816" same card) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:42
17	0	(interfac\$5 same nrss same "7816") and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:42
18	0	(port same nrss same "7816") and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:42
19	0	(connection same nrss same "7816") and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:42
20	0	((identif\$5 or detect\$5 or determin\$6) same nrss same "7816") and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:43
21	12458	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory)) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:44
22	770	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory) same interfac\$5) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 17:35
23	52	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory) same interfac\$5 same card) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:44
24	6	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory) same interfac\$5 same card same (code or instruction)) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:44
25	146	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory) same interfac\$5 same speed) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:45
26	100	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory) same interfac\$5 same (speed near (low or high))) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 17:35
27	1	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory) same interfac\$5 same (speed near (low or high)) same card) and @ad<19980311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 14:46

45	1	6016348.pn. and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:32
52	1	((card near4 interfac\$5) same ((distinguish\$4 or identif\$6) with (card with type)) same (code or instruction)) and (710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/15.ccls. or 710/19.ccls. or 710/29.ccls. or 710/33.ccls. or 710/104.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:35
53	9	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory) same interfac\$5) and @ad<19980311 and (710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/15.ccls. or 710/19.ccls. or 710/29.ccls. or 710/33.ccls. or 710/104.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:35
54	0	((identif\$5 or detect\$5 or determin\$6) same low same high same (smart or memory) same interfac\$5 same (speed near (low or high))) and @ad<19980311 and (710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/15.ccls. or 710/19.ccls. or 710/29.ccls. or 710/33.ccls. or 710/104.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:35
55	1	((card near4 interfac\$5) same ((distinguish\$4 or identif\$6) with (card with type)) same (code or instruction)) and @ad<19980311 and (710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/15.ccls. or 710/19.ccls. or 710/29.ccls. or 710/33.ccls. or 710/104.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:35